




System Magneto



48V System

The System Magneto range redefines the track lighting concept, offering quick installation and endless lighting configurations. The magnetic mounting allows for fast and easy change over of all LED luminaires, perfect for adapting commercial displays.




DALI

The 48V system offers higher luminous output for DALI track solutions.



Magnetic Track

These LED luminaires fit directly into a magnetic track without tools. The track is available in 1, 2 or 3 metre lengths. The track can be recessed, surface mounted or suspended. Secure buckles offer more stability with mounting in addition to the magnets.




LED Barr Luminaire Range

Downlight, spotlight, and 90° foldable downlight.



High CRI ≥90



High colour rendering value produces true and natural light for colour critical applications.




System Magneto - Product Portfolio

System Magneto Track | RECESSED | SURFACE | SUSPENDED

BARR Track
 Length 1 m | 2 m | 3 m
 Colour Black | White
 40 mm | 76 mm
 Recessed | Surface | Suspended



Inner Corner
 123 mm | 123 mm | 76 mm



T Corner
 140 mm | 90 mm | 76 mm



Outer Corner
 123 mm | 123 mm | 76 mm



X Corner
 140 mm | 140 mm | 76 mm




L Corner
 90 mm | 90 mm | 76 mm




System Magneto | DOWNLIGHT

BARR 6
 8 Watts
 CRI 90
 CCT 2700 K | 3000 K | 4000 K
 Beam 30° | 45°
 Colour Black | White




BARR 12
 15 Watts
 CRI 90
 CCT 2700 K | 3000 K | 4000 K
 Beam 30° | 45°
 Colour Black | White




System Magneto | DOWNLIGHT

BARR 6 FOLD
 8 Watts
 CRI 90
 CCT 2700 K | 3000 K | 4000 K
 Beam 30° | 45°
 Colour Black | White



BARR 12 FOLD
 15 Watts
 CRI 90
 CCT 2700 K | 3000 K | 4000 K
 Beam 30° | 45°
 Colour Black | White





System Magneto - Product Portfolio


System Magneto | DOWNLIGHT




OPAL SLOT 600
26 Watts
CRI 90
CCT 2700 K | 3000 K | 4000 K
Colour Black | White




OPAL SLOT 900
39 Watts
CRI 90
CCT 2700 K | 3000 K | 4000 K
Colour Black | White




System Magneto | SPOTLIGHT



SPOT 35
6 Watts
CRI 90
CCT 2700 K | 3000 K | 4000 K
Beam 20° | 40°
Colour Black | White



SPOT 50
13 Watts
CRI 90
CCT 2700 K | 3000 K | 4000 K
Beam 15° | 28° | 40° | 60°
Colour Black | White



System Magneto - Product Portfolio

